

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on August 13, 2001, "Express Mail" Label No. EK762507159US

Kathleen M. Burger
(Typed or printed name of person mailing paper or fee)
Kathleen M. Burger 8-13-01
Signature Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: : Rei-Young Amos Wu
Appl. No. : (Not yet assigned)
Filed : (Concurrently herewith)
Title : Process For Preparing a Hand-Held Snack Item,
and a Product Thereof

Grp./A.U. :
Examiner :

Docket No. : 40002-10459

Box PATENT APPLICATION
Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to calculating the filing fee for the above-referenced patent application, please amend the application as follows:

In the Specification:

Please amend the specification by inserting on page 1 after line 3 and before the paragraph entitled "FIELD OF INVENTION" the following paragraph:

--CROSS-REFERENCE TO RELATED APPLICATIONS

This is a continuation of United States Patent Application Serial No. 09/617,445, filed July 17, 2000, which is a continuation of United States Patent Application Serial No. 08/805,484, filed February 26, 1997, now abandoned.--

09617445-08805484

Appl. No.

Please replace the paragraph beginning at page 1, line 18 with the following rewritten paragraph:

--Hand-held snack items and methods for producing them are well known in the art. Examples of such snack items include granola bars, breakfast bars, cereal bars, and grain cakes such as rice cakes, corn cakes and popcorn cakes. The grain cakes are made by a method wherein the grain is expanded in an enclosed chamber in the shape of a disk or cake. In a typical method a premeasured quantity of grain is fed onto a heated piston. The piston and cereal grain are then advanced by a hydraulic cylinder into a heated female mold to create a small, hermetically sealed chamber enclosing the cereal grains. Heat and superatmospheric pressure are thereby applied to the cereal grains until, at a predetermined time, the pressure in the chamber is suddenly released by retracting the hydraulic cylinder. The suddenly depressurized chamber is not, however, sufficiently opened to release the cereal grains, but instead the hydraulic cylinder is retained in a substantially closed, but vented position. Therefore, as the pressure is released, the cereal grains expand to substantially fill the chamber, and while still in the plastic state bond together to form a small cake or cracker. The hydraulic piston is then fully retracted to open the chamber, and the cake is mechanically ejected. These cake-forming devices are most frequently used with rice as the cereal grain since rice is capable of relatively easy expansion into a self-supporting cake.--

Please replace the paragraph beginning at page 21, line 20 with the following rewritten paragraph:

--The coated hand-held food item resulting in this alternative method from the application of the secondary edible, liquid food coating material to the preliminary coated hand-held food item typically comprises from about 70% to about 10%, preferably from about 60% to about 20%, more preferably from about 50% to about 30% by weight of said secondary edible, liquid food coating material, with the balance comprising the initial formed hand-held food item.--

In the Claims:

Please cancel claims 2-18 and 20.

Please add the following claims:

--21. A method for preparing a hand-held snack item, said method comprising:

- (a) applying an edible food coating material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item, wherein said edible food coating material is applied to said initial formed hand-held food item in such a manner as to substantially completely coat said initial formed hand-held food item;
- (b) applying an edible, heat-sensitive food material to said preliminary coated hand-held food item, thereby forming a secondary coated hand-held food item, wherein said edible, heat-sensitive food material is applied to said preliminary coated hand-held food item in such a manner as to be coated by said edible food coating material, and wherein said edible food coating material is selected from a material which possesses sufficient physical characteristics to act as a protective medium for said edible, heat-sensitive food material when said secondary coated hand-held food item is subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
- (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated hand-held snack item wherein said edible, heat-sensitive food material is substantially intact.

22. A method according to claim 21 wherein said initial formed hand-held food item is a grain cake prepared from grains selected from the group consisting of rice, corn and popcorn, wherein said preliminary coated hand-held food item comprises from about 1% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon,

chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

23. A method according to claim 22 wherein said initial formed hand-held food item is a rice cake, wherein said preliminary coated hand-held food item comprises from about 5% to about 30% by weight of said first edible heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy pieces, fruit pieces, cinnamon, and mixtures thereof.

24. A method according to claim 23 wherein said preliminary coated hand-held food item comprises from about 10% to about 20% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material are chocolate chips.

25. A method according to claim 22 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

26. A method according to claim 23 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 20% to about 80% by weight viscosity

Appl. No.

providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 20% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

27. A method according to claim 24 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 50% to about 70% by weight sucrose, from about 5% to about 15% by weight flavoring ingredients, from about 1% to about 6% by weight vegetable oil, and the balance being water.

28. A method according to claim 25 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.

29. A method according to claim 26 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.

30. A hand-held snack item prepared according to the method comprising:
(a) applying an edible food coating material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item, wherein said edible food coating material is applied to said initial

formed hand-held food item in such a manner as to substantially completely coat said initial formed hand-held food item;

- (b) applying an edible, heat-sensitive food material to said preliminary coated hand-held food item, thereby forming a secondary coated hand-held food item, wherein said edible, heat-sensitive food material is applied to said preliminary coated hand-held food item in such a manner as to be coated by said edible food coating material, and wherein said edible food coating material is selected from a material which possesses sufficient physical characteristics to act as a protective medium for said edible, heat-sensitive food material when said secondary coated hand-held food item is subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
- (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated hand-held snack item wherein said edible, heat-sensitive food material is substantially intact.

31. A method according to claim 30 wherein said initial formed hand-held food item is a grain cake prepared from grains selected from the group consisting of rice, corn and popcorn, wherein said preliminary coated hand-held food item comprises from about 1% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon, chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

32. A method according to claim 31 wherein said initial formed hand-held food item is a rice cake, wherein said preliminary coated hand-held food item comprises from about 5% to about 30% by weight of said first edible heat-sensitive

Appl. No.

food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy pieces, fruit pieces, cinnamon, and mixtures thereof.

33. A method according to claim 32 wherein said preliminary coated hand-held food item comprises from about 10% to about 20% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material are chocolate chips.

34. A method according to claim 31 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

35. A method according to claim 32 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 20% to about 80% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 20% by

weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

36. A method according to claim 33 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 50% to about 70% by weight sucrose, from about 5% to about 15% by weight flavoring ingredients, from about 1% to about 6% by weight vegetable oil, and the balance being water.

37. A method according to claim 34 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.


38. A method according to claim 35 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.--

Appl. No.

REMARKS

Applicant respectfully requests examination in light of this amendment.

Respectfully submitted,



James D. Ryndak
Registration No. 28,754
Attorney for Applicant

Date: August 13, 2001

RYNDAK & SURI
30 N. LaSalle Street
Suite 2630
Chicago, IL 60602
(312) 214-7770

092591.08101
T06T80" T6582660

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

On page 1 after line 3 and before the paragraph entitled "FIELD OF INVENTION" the following paragraph was added:

--CROSS-REFERENCE TO RELATED APPLICATIONS

This is a continuation of United States Patent Application Serial No. 09/617,445, filed July 17, 2000, which is a continuation of United States Patent Application Serial No. 08/805,484, filed February 26, 1997, now abandoned.--

The paragraph beginning at page 1, line 18 has been amended as follows:

Hand-held snack items and methods for producing them are well known in the art. Examples of such snack items include granola bars, breakfast bars, cereal bars, and grain cakes such as rice cakes, corn cakes and popcorn cakes. The grain cakes are made by a method wherein the grain is expanded in an enclosed chamber in the shape of a disk or cake. In a typical method a premeasured quantity of grain is fed onto a heated piston. The piston and cereal grain are then advanced by a hydraulic cylinder into a heated female mold to create a small, hermetically sealed chamber enclosing the cereal grains. Heat and superatmospheric pressure are thereby applied to the cereal grains until, at a predetermined time, the pressure in the chamber is suddenly released by retracting the hydraulic cylinder. The suddenly depressurized chamber is not, however, sufficiently opened to release the cereal grains, but is instead the hydraulic cylinder is retained in a substantially closed, but vented position. Therefore, as the pressure is released, the cereal grains expand to substantially fill the chamber, and while still in the plastic state bond together to form a small cake or cracker. The hydraulic piston is then fully retracted to open the chamber, and the cake is mechanically ejected. These cake-forming devices are most frequently used with rice as the cereal grain since rice is capable of relatively easy expansion into a self-supporting cake.

The paragraph beginning at page 21, line 20 has been amended as follows:

The coated hand-held food item resulting in this alternative method from the application of the secondary edible, liquid food coating material to the preliminary

09617445-081301

Appl. No.

coated hand-held food item typically comprises from about 70% to about 10%, preferably from about 60% to about 20%, more preferably from about 50% to about 30% by weight of said secondary edible, liquid food coating material, with the balance comprising the initial formed hand-held food item.

In the Claims:

Claims 2-18 and 20 have been cancelled.

The following claims have been added:

--21. A method for preparing a hand-held snack item, said method comprising:

- (a) applying an edible food coating material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item, wherein said edible food coating material is applied to said initial formed hand-held food item in such a manner as to substantially completely coat said initial formed hand-held food item;
- (b) applying an edible, heat-sensitive food material to said preliminary coated hand-held food item, thereby forming a secondary coated hand-held food item, wherein said edible, heat-sensitive food material is applied to said preliminary coated hand-held food item in such a manner as to be coated by said edible food coating material, and wherein said edible food coating material is selected from a material which possesses sufficient physical characteristics to act as a protective medium for said edible, heat-sensitive food material when said secondary coated hand-held food item is subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
- (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated hand-held snack item wherein said edible, heat-sensitive food material is substantially intact.

22. A method according to claim 21 wherein said initial formed hand-held food item is a grain cake prepared from grains selected from the group consisting of rice, corn and popcorn, wherein said preliminary coated hand-held food item comprises from about 1% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon, chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

23. A method according to claim 22 wherein said initial formed hand-held food item is a rice cake, wherein said preliminary coated hand-held food item comprises from about 5% to about 30% by weight of said first edible heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy pieces, fruit pieces, cinnamon, and mixtures thereof.

24. A method according to claim 23 wherein said preliminary coated hand-held food item comprises from about 10% to about 20% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material are chocolate chips.

25. A method according to claim 22 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

26. A method according to claim 23 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 20% to about 80% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 20% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

27. A method according to claim 24 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 50% to about 70% by weight sucrose, from about 5% to about 15% by weight flavoring ingredients, from about 1% to about 6% by weight vegetable oil, and the balance being water.

28. A method according to claim 25 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.

29. A method according to claim 26 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of

from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.

30. A hand-held snack item prepared according to the method comprising:
- (a) applying an edible food coating material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item, wherein said edible food coating material is applied to said initial formed hand-held food item in such a manner as to substantially completely coat said initial formed hand-held food item;
 - (b) applying an edible, heat-sensitive food material to said preliminary coated hand-held food item, thereby forming a secondary coated hand-held food item, wherein said edible, heat-sensitive food material is applied to said preliminary coated hand-held food item in such a manner as to be coated by said edible food coating material, and wherein said edible food coating material is selected from a material which possesses sufficient physical characteristics to act as a protective medium for said edible, heat-sensitive food material when said secondary coated hand-held food item is subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
 - (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated hand-held snack item wherein said edible, heat-sensitive food material is substantially intact.

31. A method according to claim 30 wherein said initial formed hand-held food item is a grain cake prepared from grains selected from the group consisting of rice, corn and popcorn, wherein said preliminary coated hand-held food item comprises from about 1% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group

Appl. No.

consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon, chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

32. A method according to claim 31 wherein said initial formed hand-held food item is a rice cake, wherein said preliminary coated hand-held food item comprises from about 5% to about 30% by weight of said first edible heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy pieces, fruit pieces, cinnamon, and mixtures thereof.

33. A method according to claim 32 wherein said preliminary coated hand-held food item comprises from about 10% to about 20% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material are chocolate chips.

34. A method according to claim 31 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

35. A method according to claim 32 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid

Appl. No.

syrup composition comprising from about 20% to about 80% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 20% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

36. A method according to claim 33 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 50% to about 70% by weight sucrose, from about 5% to about 15% by weight flavoring ingredients, from about 1% to about 6% by weight vegetable oil, and the balance being water.

37. A method according to claim 34 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.

38. A method according to claim 35 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.--